

HistoricBridges.org - National Bridge Inventory Data Sheet

2012 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Michigan [26]	Delta County [041]	Garden [31400]	AT FISHDAM PARK	00-00-00 = 0.000000	000-00-00 = - 0.000000
13407	Highway agency district 1	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 32		N-32	Toll On free road [3]	Features intersected	LITTLE FISHDAM RIVER
Design - main	Concrete [1]	Design - approach		Kilometerpoint	5.5 km = 3.4 mi
1	Girder and floorbeam system [03]	0	Other [00]	Year built	1920
				Year reconstructed	
				Skew angle	0
				Structure Flared	
				Historical significance	Historical significance is not determinable at this time. [4]
Total length	7.8 m = 25.6 ft	Length of maximum span	6.6 m = 21.7 ft	Deck width, out-to-out	6.7 m = 22.0 ft
Inventory Route, Total Horizontal Clearance	5.7 m = 18.7 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface	Bituminous [6]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	No rating analysis performed [5]	Inventory rating	19.4 metric ton = 21.3 tons
32 km = 19.8 mi	Method to determine operating rating	No rating analysis performed [5]	Operating rating	32.4 metric ton = 35.6 tons
	Bridge posting	Equal to or above legal loads [5]	Design Load	

Functional Details

Average Daily Traffic	<input type="text" value="2"/>	Average daily truck traffi	<input type="text" value="0"/>	%	Year	<input type="text" value="2007"/>	Future average daily traffic	<input type="text" value="3"/>	Year	<input type="text" value="2027"/>
Road classification	<input type="text" value="Local (Rural) [09]"/>		Lanes on structure	<input type="text" value="1"/>		Approach roadway width	<input type="text" value="3.7 m = 12.1 ft"/>			
Type of service on bridge	<input type="text" value="Highway [1]"/>		Direction of traffic	<input type="text" value="One lane bridge for 2 - way traffic [3]"/>		Bridge median	<input type="text"/>			
Parallel structure designation	<input type="text" value="No parallel structure exists. [N]"/>									
Type of service under bridge	<input type="text" value="Waterway [5]"/>		Lanes under structure	<input type="text" value="0"/>		Navigation control	<input type="text"/>			
Navigation vertical clearanc	<input type="text" value="0 = N/A"/>		Navigation horizontal clearance	<input type="text" value="0 = N/A"/>						
Minimum navigation vertical clearance, vertical lift bridge	<input type="text"/>					Minimum vertical clearance over bridge roadway	<input type="text" value="99.99 m = 328.1 ft"/>			
Minimum lateral underclearance reference feature	<input type="text" value="Feature not a highway or railroad [N]"/>									
Minimum lateral underclearance on right	<input type="text" value="0 = N/A"/>					Minimum lateral underclearance on left	<input type="text" value="0 = N/A"/>			
Minimum Vertical Underclearance	<input type="text" value="0 = N/A"/>		Minimum vertical underclearance reference feature	<input type="text" value="Feature not a highway or railroad [N]"/>						
Appraisal ratings - underclearances	<input type="text" value="N/A [N]"/>									

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost

Roadway improvement cost

Length of structure improvement

Total project cost

Year of improvement cost estimate

Border bridge - state

Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status	Open, no restriction [A]	Appraisal ratings - structural	Somewhat better than minimum adequacy to tolerate being left in place as is [5]
Condition ratings - superstructure	Good [7]	Appraisal ratings - roadway alignment	Equal to present desirable criteria [8]
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings - deck geometry	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - deck	Good [7]		
Scour	Bridge is scour critical; bridge foundations determined to be unstable. [3]		
Channel and channel protection	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]		
Appraisal ratings - water adequacy	Equal to present minimum criteria [6]	Status evaluation	
Pier or abutment protection		Sufficiency rating	74.7
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	July 2011 [0711]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Not needed [N]	Fracture critical inspection date	
Other special inspection	Not needed [N]	Other special inspection date	