

HistoricBridges.org - National Bridge Inventory Data Sheet

2009 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Missouri [29]	Howard County [089]	Franklin [25624]	S 28 T 49 N R 16 W	39-00-42 = 39.011667	092-44-18 = - 92.738333
5921	Highway agency district 2	Owner State Highway Agency [01]	Maintenance responsibility	State Highway Agency [01]	
Route 5	MO 5 S	Toll On free road [3]	Features intersected	KATY TRAIL	
Design - main	Concrete [1]	Design - approach	Concrete [1]	Kilometerpoint	22893.9 km = 14194.2 mi
6	Tee beam [04]	13	Tee beam [04]	Year built	1939
				Year reconstructed	N/A [0000]
				Skew angle	0
				Structure Flared	
				Historical significance	Bridge is eligible for the NRHP. [2]
Total length	445.6 m = 1462.0 ft	Length of maximum span	16.5 m = 54.1 ft	Deck width, out-to-out	8.2 m = 26.9 ft
Inventory Route, Total Horizontal Clearance	7.3 m = 24.0 ft	Curb or sidewalk width - left	1.5 m = 4.9 ft	Curb or sidewalk width - right	1.5 m = 4.9 ft
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface	Bituminous [6]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	Allowable Stress(AS) [2]	Inventory rating	12 metric ton = 13.2 tons
3.2 km = 2.0 mi	Method to determine operating rating	Allowable Stress(AS) [2]	Operating rating	20 metric ton = 22.0 tons
	Bridge posting		Design Load	M 13.5 / H 15 [2]

Functional Details

Average Daily Traffic	3874	Average daily truck traffi	11	%	Year	2007	Future average daily traffic	5036	Year	2029
Road classification	Minor Arterial (Urban) [16]		Lanes on structure	2		Approach roadway width	6.7 m = 22.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Pedestrian-bicycle [3]		Lanes under structure	0		Navigation control	Not applicable, no waterway. [N]			
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge			Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft						
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]		
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	3120000	Roadway improvement cost	312000
	Length of structure improvement	44.6 m = 146.3 ft	Total project cost	4680000
	Year of improvement cost estimate	2009		
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

Inspection and Sufficiency

Structure status	<input type="text" value="Posted for load [P]"/>	Appraisal ratings - structural	<input type="text" value="Basically intolerable requiring high priority of replacement [2]"/>
Condition ratings - superstructure	<input type="text" value="Fair [5]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Meets minimum tolerable limits to be left in place as is [4]"/>
Condition ratings - substructure	<input type="text" value="Satisfactory [6]"/>	Appraisal ratings - deck geometry	<input type="text" value="Basically intolerable requiring high priority of replacement [2]"/>
Condition ratings - deck	<input type="text" value="Fair [5]"/>		
Scour	<input type="text" value="Bridge not over waterway. [N]"/>		
Channel and channel protection	<input type="text" value="Not applicable. [N]"/>		
Appraisal ratings - water adequacy	<input type="text" value="N/A [N]"/>	Status evaluation	<input type="text" value="Structurally deficient [1]"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="19"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text"/>		
Traffic safety features - transitions	<input type="text"/>		
Traffic safety features - approach guardrail	<input type="text"/>		
Traffic safety features - approach guardrail ends	<input type="text"/>		
Inspection date	<input type="text" value="January 2007 [0107]"/>	Designated inspection frequency	<input type="text" value="24"/> Months
Underwater inspection	<input type="text" value="Not needed [N]"/>	Underwater inspection date	<input type="text"/>
Fracture critical inspection	<input type="text" value="Not needed [N]"/>	Fracture critical inspection date	<input type="text"/>
Other special inspection	<input type="text" value="Not needed [N]"/>	Other special inspection date	<input type="text"/>