The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information	1						00-00-00 =	000-00-00 = -	
Michigan [26]	Sanilac County	[151]	Washington [84140]	SEC. 4-5 WASHINGTO	NGTON TWP.		0.000000	0.000000	
74323H00016B010 Highway agency district 4		Owner County Highway	Owner County Highway Agency [02] Maintenance responsibility		County Highway A	gency [02]			
Route 0		CHURCH ROAD	Toll On fre	ee road [3]	eatures intersec	ted BLACK RIV	ER		
Design - main Steel [3] Design - approach Truss - Thru [10] 0 Other		er [00]	Kilometerpoint 0 km Year built #Num! Skew angle 0 Historical significance	ne NRHP. [5]					
Total length 30.1 m = 98.8 ft Length of maximum span 29.2 m = 95.8 ft Deck width, out-to-out 4.8 m = 15.7 ft Bridge roadway width, curb-to-curb 4.8 m = 15.7 ft Inventory Route, Total Horizontal Clearance 4.8 m = 15.7 ft Curb or sidewalk width - left 0 m = 0.0 ft Curb or sidewalk width - right 0 m = 0.0 ft									
Deck structure type Concrete Cast-in-Place [1] Type of wearing surface Bituminous [6] Deck protection Type of membrane/wearing surface									
Weight Limits Bypass, detour length Method to determine inventory rating Allowable Stress(AS) [2] Inventory rating 0.6 metric ton = 0.7 tons									
0.6 km = 0.4 mi Method to determine operation Bridge posting 30.0 - 39.		. 0			Operating rating 7.3 metric ton = 8.0 tons Design Load M 13.5 / H 15 [2]				

Functional Details									
Average Daily Traffic 220 Average daily tr	uck traffi 10 % Year 1996 Future average daily traffic 350 Year 2016								
Road classification Local (Rural) [09]	Lanes on structure 2 Approach roadway width 0 m = 0.0 ft								
Type of service on bridge Highway [1]	Direction of traffic 2 - way traffic [2] Bridge median								
Parallel structure designation No parallel structure	e exists. [N]								
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control								
Navigation vertical clearanc 0 = N/A	Navigation horizontal clearance 0 = N/A								
Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft									
Minimum lateral underclearance reference feature Feature not a highway or railroad [N]									
Minimum lateral underclearance on right 99.9 = Unlimited Minimum lateral underclearance on left 0 = N/A									
Minimum Vertical Underclearance 0 = N/A Minimum vertical underclearance reference feature Feature not a highway or railroad [N]									
Appraisal ratings - underclearances N/A [N]									
Repair and Replacement Plans									
Type of work to be performed	Work done by Work to be done by contract [1]								
Replacement of bridge or other structure because of substandard load carrying capacity or substantial	Bridge improvement cost 0 Roadway improvement cost 0								
bridge roadway geometry. [31]	Length of structure improvement 35.4 m = 116.1 ft Total project cost								
	Year of improvement cost estimate 1997								
	Border bridge - state Border bridge - percent responsibility of other state 0								
	Border bridge - structure number								

Inspection and Sufficiency										
Structure status Posted for lo	ad [P]	Appraisal ratings - structural	Basically intolerable requiring h	nigh priority of replacement [2]						
Condition ratings - superstructur	Poor [4]	Appraisal ratings - roadway alignment	Meets minimum tolerable limits	s to be left in place as is [4]						
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings -	Basically intolerable requiring h	high priority of replacement [2]						
Condition ratings - deck	Satisfactory [6]	deck geometry								
Scour	Bridge with "unknown" founda	Bridge with "unknown" foundation that has not been evaluated for scour. [U]								
Channel and channel protection		Banks are protected or well vegetated. River control devices such as spur dikes and embankment protection are not required or are in a stable condition. [8]								
Appraisal ratings - water adequac	Better than present minimum	Better than present minimum criteria [7]		Structurally deficient [1]						
Pier or abutment protection	Navigation protection not requ	Navigation protection not required [1]		18.9						
Culverts Not applicable. Used if structure is not a culvert. [N]										
Traffic safety features - railings										
Traffic safety features - transitions										
Traffic safety features - approach guardrail										
Traffic safety features - approach guardrail ends										
Inspection date May 1998 [0598] Designated inspection frequency 24 Months										
Underwater inspection Unknown [N24] Underwater inspection date										
'	Unknown [N24]									
Other special inspection Unknown [N24] Other special inspection date										